

Australian Standard™

**Measurement of fluid flow in closed
conduits**

**Part 7.1: Assessment of uncertainty
in the calibration and use of flow
measurement devices—Linear
calibration relationships**



S t a n d a r d s Australia

This Australian Standard was prepared by Committee CE-024, Measurement of Water Flow in Open Channels and Closed Conduits. It was approved on behalf of the Council of Standards Australia on 25 September 2000 and published on 12 March 2001.

The following interests are represented on Committee CE-024:

Australian Water and Wastewater Association
Department of Natural Resources, Qld
Institute of Instrumentation and Control Australia
Department of Land and Water Conservation, New South Wales
Department of Public Works and Services, New South Wales
South Australian Water Corporation
Sydney Water Corporation
University of New South Wales
University of Adelaide
University of Technology, Sydney

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

Measurement of fluid flow in closed conduits

Part 7.1: Assessment of uncertainty in the calibration and use of flow measurement devices—Linear calibration relationships

Originated as AS 2360.7.1—1993.
Second edition 2001.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 3664 5

PREFACE

This Standard was prepared by the Standards Australia Committee CE-024, Measurement of Water Flow in Open Channels and Closed Conduits.

This Standard is identical to and is reproduced from ISO/TR 7066:1997, *Assessment of uncertainty in calibration and use of flow measurement devices—Part 7.1: Linear calibration relationships*.

This Standard is Part 7.1 of AS 2360, *Measurement of fluid flow in closed conduits*, which is published in parts as follows:

AS

2360		Vocabulary and symbols
2360.1	Part 1:	Pressure differential methods—Measurement using orifice plates, nozzles or Venturi tubes—Conduits with diameters from 50 mm to 1200 mm
2360.1.2	Part 1.2:	Pressure differential methods—Measurement using orifice plates or nozzles—Conduits with diameters less than 50 mm
2360.1.3	Part 1.3:	Pressure differential methods—Measurement using orifice plates, nozzles or Venturi tubes—Guide to the use of methods specified in Parts 1.1 and 1.2
2360.1.4	Part 1.4:	Pressure differential methods—Measurement using orifice plates, nozzles or Venturi tubes—Guide to the effect of departure from the conditions specified in Part 1.1
2360.1.5	Part 1.5:	Pressure differential methods—Measurement using orifice plates, nozzles or Venturi tubes—Pulsating flow, in particular sinusoidal or square wave intermittent periodic-type fluctuations
2360.6.1	Part 6.1:	Volumetric methods—By mass
2360.6.2	Part 6.2:	Volumetric methods—By volume
2360.7.1	Part 7.1:	Assessment of uncertainty in the calibration and use of flow measurement devices—Linear calibration relationships (this Standard)
2360.7.2	Part 7.2:	Assessment of uncertainty in the calibration and use of flow measurement devices—Non-linear calibration relationships

Under arrangements made between Standards Australia and the international Standards bodies, ISO and IEC, as well as certain other Standards organizations, users of this Australian Standard are advised of the following:

- (a) Copyright is vested in Standards Australia.
- (b) The number of this Standard is not reproduced on each page, its identity is shown only on the cover and title page.
- (c) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (d) A full point should be substituted for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to equivalent Australian or Australian/New Zealand Standards, as follows:

<i>International Standard</i>		<i>Australian or Australian/New Zealand Standard</i>	
ISO/IEC		AS/NZS	
772	Liquid flow measurement in open channels-Vocabulary and symbols	3778	Measurement of water flow in open channels
1110	Liquid flow measurement in open channels	3778.1	Part 1: Vocabulary and symbols
1110-2	Part 2: Determination of the stage-discharge relation	3778.2.3	Part 2.3: General—Determination of the stage-discharge relation
4006	Measurement of fluid flow in closed conduits-Vocabulary and symbols	2360	Measurement of fluid flow in closed conduits
5168	Measurement of fluid flow-Estimation of uncertainty of a flow-rate measurement	2360.0	Part 0: Vocabulary and symbols
		3778	Measurement of water flow in open channels
		3778.2.4	Part 2.4: General-Estimation of uncertainty of a flow-rate measurement

CONTENTS

	<i>Page</i>
1 Scope.....	1
2 Normative references.....	1
3 Definitions and symbols	2
4 General	4
5 Random uncertainties and systematic error limits in individual measurements	5
6 Linearity of calibration graph.....	6
7 Linearization of data.....	8
8 Fitting the best straight line.....	8
9 Fitting the best weighted straight line.....	11
10 Procedure when y is independent of x	11
11 Calculation of uncertainty	12
12 Systematic error limits and reporting procedure.....	12
13 Extrapolated values	13
14 Uncertainty in the use of the calibration graph for a single flowrate measurement.....	13
 Annexes	
A Calculation of the variance of a general function.....	16
B Example of an open channel calibration	17
C Example of determination of uncertainty in calibration of a closed conduit	22

Measurement of fluid flow in closed conduits

Part 7.1:

Assessment of uncertainty in the calibration and use of flow measurement devices—Linear calibration relationships

1 Scope

1.1 This part of ISO/TR 7066 describes the procedures to be used in deriving the calibration curve for any method of measuring flowrate in closed conduits or open channels, and of assessing the uncertainty associated with such calibrations. Procedures are also given for estimation of the uncertainty arising in measurements obtained with the use of the resultant graph, and for calculation of the uncertainty in the mean of a number of measurements of the same flowrate.

1.2 Only linear relationships are considered in this part of ISO/TR 7066; the uncertainty in non-linear relationships forms the subject of ISO/TR 7066-2. This part of ISO/TR 7066 is applicable, therefore, only if

a) the relationship between the two variables is itself linear,

or

one or both variables can be transformed in such a manner as to create a linear relationship between them, as, for instance by the use of logarithms,

or

the total range can be subdivided in such a way that within each subdivision the relationship between the two variables can be regarded as being linear; and if

b) systematic deviations from the fitted line are negligible compared with the uncertainty associated with the individual observations forming the graph.

NOTE — Examples of the application of the principles contained in this part of ISO/TR 7066 are given in annexes B and C.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/TR 7066. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/TR 7066 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

This is a free preview. Purchase the entire publication at the link below:

AS 2360.7.1 : 2001 : EN : COMBINED PDF

-
- ⊙ Looking for additional Standards? Visit SAI Global Infostore
 - ⊙ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us