

Australian Standard™

**Grid connection of energy systems via  
inverters**

**Part 3: Grid protection requirements**

This Australian Standard was prepared by Committee EL-042, Renewable Energy Power Supply Systems and Equipment. It was approved on behalf of the Council of Standards Australia on 6 April 2005. This Standard was published on 20 May 2005.

---

The following are represented on Committee EL-042:

Alternative Technology Association  
Australian Electrical and Electronic Manufacturers Association  
Business Council for Sustainable Energy  
Electrical Regulatory Authorities Council  
Electrical Safety Organisation, New Zealand  
Electricity Engineers Association, New Zealand  
ElectroComms & Energy Utilities Industries Skills Council  
Energy Efficiency & Conservation Authority of New Zealand  
Energy Networks Association  
Institution of Professional Engineers, New Zealand  
Ministry of Economic Development, New Zealand  
National Electrical and Communications Association  
New Zealand Electrical Institute  
Research Institute for Sustainable Energy  
Sustainable Energy Authority, Victoria  
University of New South Wales

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

---

*This Standard was issued in draft form for comment as DR 04342.*

Australian Standard™

## **Grid connection of energy systems via inverters**

### **Part 3: Grid protection requirements**

Originated as AS 4777.3—2002.  
Second edition 2005.

#### **COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 5420, Sydney, NSW 2001, Australia  
ISBN 0 7337 6702 8

## PREFACE

This Standard was prepared by the Australian members of the Joint Standards Australia/Standards New Zealand Committee EL-042, Renewable Energy Power Supply Systems and Equipment and is based on requirements developed by a group of utility, photovoltaic and inverter industry experts coming together under the auspices of the Energy Networks Association. After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian, rather than an Australian/New Zealand Standard. This Standard replaces AS 4777.3—2002 on publication.

The objective of this Standard is to provide regulators, electricity distributors and manufacturers with the requirements and tests for grid protection devices to be used in inverter energy systems intended for the injection of electric power through an electrical installation to the electricity distribution network.

It is Part 3 of AS 4777, *Grid connection of energy systems via inverters* which is published in parts as follows:

AS 4777.1 Part 1: Installation requirements

AS 4777.2 Part 2: Inverter requirements

AS 4777.3 Part 3: Grid protection requirements (this Standard)

This Standard has been revised to—

- (a) simplify requirements for EMC; and
- (b) clarify the grid performance test including tolerances on test values.

This Standard was developed with the assistance of the following organisations—

- (i) Australian Greenhouse Office;
- (ii) Research Institute for Sustainable Energy, Murdoch University; and
- (iii) University of New South Wales.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the Appendix to which they apply. A ‘normative’ Appendix is an integral part of a Standard whereas an ‘informative’ Appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 NORMATIVE REFERENCES .....	4
3 DEFINITIONS.....	5
4 GENERAL AND SAFETY REQUIREMENTS.....	6
5 GRID PROTECTION REQUIREMENTS .....	6

## APPENDICES

A LIMITS FOR SUSTAINED OPERATION.....	9
B GRID PROTECTION DEVICE TESTS .....	10

## STANDARDS AUSTRALIA

## Australian Standard

## Grid connection of energy systems via inverters

## Part 3: Grid protection requirements

**1 SCOPE**

This Standard specifies the requirements for grid protection devices intended to be used in inverter energy systems, with ratings up to 10 kVA for single-phase units, or up to 30 kVA for three-phase units, and for the injection of electric power through an electrical installation to the electricity distribution network.

## NOTES:

- 1 Although this Standard does not apply to larger systems, similar principles can be used for the grid protection of such systems.
- 2 These devices do not replace devices used for protection and/or isolation as required in AS/NZS 3000.
- 3 Although this Standard is written on the basis that the renewable energy is from a d.c. source (e.g. photovoltaic array), this Standard may be used for systems where the energy is from a variable a.c. source (e.g. wind turbine or micro-hydro system) by appropriate changes to the tests.
- 4 This Standard does not include EMC requirements. These requirements are mandated by the Australian Communications Authority (ACA). Users attention is drawn to Australian Communications Authority's document '*Electromagnetic Compatibility—Information for suppliers of electrical and electronic products in Australia and New Zealand*' for guidance.

**2 NORMATIVE REFERENCES**

The following normative documents contain provisions which, through reference in this text, constitute provisions of this Standard.

AS	
60038	Standard voltages
AS/NZS	
3000	Electrical Installations (known as the Australian/New Zealand Wiring Rules)
3100	Approval and test specification—General requirements for electrical equipment
60950	Information technology equipment—Safety
60950.1	Part 1: General requirements
61000	Electromagnetic compatibility (EMC)
61000.3.3	Part 3.3: Limits—Limitation of voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current less than or equal to 16 A per phase and not subject to conditional connection
61000.3.5	Part 3.5: Limits—Limitation of voltage fluctuations and flicker in low-voltage power supply systems for equipment with rated current greater than 16 A

This is a free preview. Purchase the entire publication at the link below:

## **AS 4777.3 : 2005 : EN : COMBINED PDF**

- 
- ⊙ Looking for additional Standards? Visit SAI Global Infostore
  - ⊙ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
- 

Need to speak with a Customer Service Representative - Contact Us