

Australian Standard™

**Implementation of Health Level Seven  
(HL7) Version 2.4**

**Part 6: Referral, discharge and health  
record messaging**



This Australian Standard was prepared by Committee IT-014, Health Informatics. It was approved on behalf of the Council of Standards Australia on 2 June 2006. This Standard was published on 16 June 2006.

---

The following are represented on Committee IT-014:

Australian and New Zealand College of Anaesthetists  
Australian Association of Pathology Practices  
Australian Electrical and Electronic Manufacturers Association  
Australian Health Insurance Association  
Australian Healthcare Association  
Australian Information Industry Association  
Australian Institute of Health & Welfare  
Australian Institute of Radiography  
Australian Medical Association  
Australian Private Hospitals Association  
Central Queensland University  
Commonwealth Department of Health and Ageing  
Consumers' Federation of Australia  
Consumers' Health Forum of Australia  
CSIRO e-Health Research Centre  
Department of Health (South Australia)  
Department of Health Western Australia  
Department of Human Services, Victoria  
Engineers Australia  
General Practice Computing Group  
Health Informatics Society of Australia  
Health Information Management Association of Australia  
Health Professions Council Of Australia  
HL7 Australia  
Medical Industry Association of Australia  
Medical Software Industry Association  
Medicare Australia  
National Health Information Management Group  
NSW Health Department  
Pharmacy Guild of Australia  
Pharmaceutical Society of Australia  
Queensland Health  
Royal Australian and New Zealand College of Radiologists  
Royal Australian College of General Practitioners  
Royal Australian College of Medical Administrators  
Royal Australian and New Zealand College of Obstetricians & Gynaecologists  
Royal College of Nursing, Australia  
Royal College of Pathologists of Australasia  
Society of Hospital Pharmacists of Australia  
University of Sydney

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards<sup>TM</sup> and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to the Chief Executive, Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

*This Standard was issued in draft form for comment as DR 05431.*

Australian Standard™

**Implementation of Health Level Seven  
(HL7) Version 2.4**

**Part 6: Referral, discharge and health  
record messaging**

Originated as AS 4700.6—2004.  
Second edition 2006.

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 7516 0

## PREFACE

This Standard was prepared by the IT-014-06-06, Collaborative Care Communications Working Group under direction from Standards Australia Committee IT-014, Health Informatics, in response to requests from the health informatics community. It covers implementation of the Health Level Seven (HL7) Version 2.4 protocol, for communication of clinical patient-centred information between health service providers in Australia. It is applicable to clinical communications covering Discharge, Shared Care, Event Summaries, and notification of Shared Electronic Health Record Systems. The original focus was on Discharge Referral, but stakeholder requirements have led to its use in the more general area of patient care messaging.

This Standard supersedes AS 4700.6—2004, *Implementation of Health Level Seven (HL7) Version 2.3.1, Part 6: Referral and discharge summary*, which will remain current.

The mission of Working Group IT-014-06-06 is to—

- (a) advise on the appropriateness of international Standards;
- (b) recommend specific Standards and/or implementation guidelines for messages covering patient discharge and referral together with more general clinical services not covered by the other AS 4700 Standards; and
- (c) consider the need for related Standards.

The HL7 Version 2.4 protocol covers a wide range of data interchange functions. However, this Australian implementation Standard focuses on the HL7 discharge and referral, shared care and event summary messages. A Discharge Referral message is analogous to a paper-based discharge referral document and has more comprehensive requirements than the less-specific discharge summary.

All efforts have been made to minimize divergence from the HL7 USA protocol to ensure maximum compatibility with future versions, however, proposal of significant enhancements has been found necessary to adequately represent patient care related concepts.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An informative appendix is only for information and guidance.

Standards Australia wishes to thank the Department of Health and Ageing for their continued financial support in helping us achieve our aims.

## CONTENTS

	<i>Page</i>
FOREWORD.....	4
1 SCOPE.....	6
2 APPLICATION .....	7
3 REFERENCED AND RELATED DOCUMENTS.....	8
4 DEFINITIONS.....	8
5 MESSAGES.....	9
6 MESSAGE SEGMENTS .....	16
APPENDICES	
A CLINICAL INFORMATION REPRESENTATION.....	27
B SAMPLE CLINICAL INFORMATION IN DISCHARGE REFERRAL .....	32

## FOREWORD

HL7 Version 2.4 is a health care application protocol accredited as a Standard by the American National Standards Institute (ANSI). ‘Level Seven’ refers to the highest level of the International Organization for Standardization (ISO) communications model for Open Systems Interconnection (OSI)—the application level. Issues within the application level include definition of the data to be exchanged, the timing of the exchange and the communication of certain errors to the application. This level supports such functions as security checks, identification of the participants, availability checks, negotiating exchange mechanisms and, importantly, structuring the data exchanges themselves.

HL7 focuses on the interface requirements of the entire health care organization. It allows development along the fastest possible track to the unique requirements of already installed hospital and departmental systems, some of which use mature technologies.

Australia already have an existing base of health care institutions that use the HL7 protocol to exchange key sets of data between different computer application systems. While HL7 is concerned with addressing immediate needs, there is a very strong focus on convergence with other Standards development activities in the USA and international HL7 initiatives in countries including Canada, China, Finland, Germany, India, Japan, Korea, the Netherlands, and the United Kingdom.

The HL7 protocol is a collection of standard formats that specify the implementation of interfaces between computer applications. It is not rigid. Flexibility is built into the protocol to allow compatibility for specialized data sets that have facility-specific needs. One of HL7’s strengths is its inbuilt flexibility. However, it is also one of its weaknesses. It is open to misinterpretation in its structure and format. HL7 is based on the health environment in the USA. Implementation of the HL7 Version 2.4 Standard in the Australian health environment requires a common and consistent approach.

The intended audience for this Standard includes health authorities, health service providers, general providers, health institutions, health information technology vendors, health information technology consultants and the health informatics community.

This is not a stand-alone document for review in isolation. A basic understanding of HL7 is essential, as this Standard is based on and frequently refers to the HL7 Version 2.4 Standard.

In order to communicate clinical information, which is heavily context-dependent, it has been necessary to use local extensions to the Version 2.4 Standard. These extensions will be proposed for inclusion in a later version of HL7 Version 2.x. A referral or shared care message may, under different circumstances, be required to include almost any data from a health record. This widens the scope of such a message and requires more complex contextual and relationship information applying to the included segments. A simpler message context is inferable from the trigger event but this is insufficient for the more general information in Discharge, Referral, Event Summaries and Shared Care. This message has needed to include and combine segments designed for use in simpler more specific messages where their context is implicit from the trigger event. This applies particularly to History, Observations, Medications, Procedures, Problems, Goals and Pathways.

HL7 has not been widely used for structured clinical communications. When available, HL7 Version 3 Messaging and Clinical Document Architecture (CDA) are expected to be increasingly used for new applications. This Version 2 message is currently being used to inform the requirements and design of these future standards.

Frequent reference is made to AS 4700.1—2005, which covers the implementation of HL7 Version 2.4 for patient administration within Australia. AS 4700.1—2005 provides an important foundation for the building of most clinical health care messages. Only those segments that have been identified as relevant have been detailed in the Australian implementation standard. Refer to the HL7 Version 2.4 protocol for all other message segments.

Where a segment is extended by the addition of new fields, these are added at the segment end and are to be regarded as ‘Local Usage’. It is intended that they be proposed for inclusion in a later release of the HL7 Standard.

Specified terminology and coding is required for meaningful information exchange, and this therefore forms part of this Standard.

## STANDARDS AUSTRALIA

---

### Australian Standard

## Implementation of Health Level Seven (HL7) Version 2.4

---

### Part 6: Referral, discharge and health record messaging

---

#### 1 SCOPE

##### 1.1 General

This Standard covers implementation of electronic referral messages using the HL7 Version 2.4 protocol with local extensions, which will be proposed for inclusion in a later version of HL7 2.X. It covers communication between health service providers both within and outside hospitals including communication for shared care and on discharge, other event summaries and notifications to shared electronic health record and clinical decision support systems.

The Standard includes the data segments and data elements that are mandatory (required), optional or conditional (required, based on a condition), and relevant usage notes in the Australian health environment. The Standard provides consistent use of data definitions as well as commentary and references to the International Organization for Standardization (ISO), the National Health Data Dictionary (NHDD), the National Association of Testing Authorities Australia (NATA), The General Practice Computing Group (GPCG) and its General Practice Data Model and Core Dataset (co-sponsored with the Commonwealth Department of Health and Ageing).

This Standard deals with representation of clinical information for purposes of sharing and transferring patient care. There may be additional administrative, financial, and eligibility aspects of referral which are outside the scope of this Implementation Standard that have been excluded from this Standard.

The message structure described in this Standard is intended to communicate information from one clinical provider or organization to another (potentially via a shared electronic health record) and should be used wherever there is a complete or partial transfer of care, as occurs on discharge from a hospital or other care provider. Where used for transfer of care, the message will typically contain referral details as well as a discharge or other event summary. Relevant definitions are included in Clause 4 of this Standard.

Clinical management by cooperating providers, mandates health service messaging built on agreed semantic exchange. The above groups are actively participating in developments in this evolving area. While the message protocols described in this implementation Standard employ a required level of coding as in the HL7 tables, they do not specify any particular controlled vocabulary for the broader area of clinical concept representation. A logical next step in terminology agreement should address the headings used in referral, and a code set such as LOINC should be considered for this.

This is a free preview. Purchase the entire publication at the link below:

## **AS 4700.6 : 2006 : EN : COMBINED PDF**

- 
- ⊙ Looking for additional Standards? Visit SAI Global Infostore
  - ⊙ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
- 

Need to speak with a Customer Service Representative - Contact Us