



Fire detection and alarm systems

Part 7: Point type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2018, MOD)

STANDARDS
Australia



AS 7240.7:2018

This Australian Standard® was prepared by FP-002, Fire Detection, Warning, Control and Intercom Systems. It was approved on behalf of the Council of Standards Australia on 30 November 2018.

This Standard was published on 20 December 2018.

The following are represented on Committee FP-002:

- Association of Hydraulic Services Consultants Australia
- Australasian Fire and Emergency Service Authorities Council
- Australian Chamber of Commerce and Industry
- Australian Industry Group
- Australian Institute of Building Surveyors
- CSIRO
- Deafness Forum of Australia
- Department of Health and Human Services (VIC)
- Engineers Australia
- Fire Protection Association Australia
- National Electrical and Communications Association
- National Fire Industry Association
- Property Council of Australia
- Society of Fire Safety

This Standard was issued in draft form for comment as DR AS 7240.7:2018.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.saiglobal.com (sales and distribution)

ISBN 978 1 76072 312 5



Fire detection and alarm systems

Part 7: Point type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2018, MOD)

First published as AS 7240.7—2004.
This edition AS 7240.7:2018.

COPYRIGHT

© ISO 2018 — All rights reserved
© Standards Australia Limited 2018

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Published by SAI Global Pty Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia.

Preface

This Standard was prepared by the Standards Australia Committee FP-002, Fire Detection, Warning, Control and Intercom Systems, to supersede AS 7240.7—2004, *Fire detection and alarm systems, Part 7: Point-type smoke detectors using scattered light, transmitted light or ionization (ISO 7240-7:2003, MOD)*.

The objective of this Standard is to specify requirements, test methods and performance criteria for point-type smoke detectors that operate using scattered light, transmitted light or ionization, for use in fire detection and alarm systems installed in buildings (refer to AS ISO 7240.1). This Standard also covers point-type smoke detectors that incorporate more than one smoke sensor operating on these principles. Additional requirements and test methods for such detectors are given in Annex N.

For the testing of other types of smoke detectors, or smoke detectors working on different principles, this Standard is only intended to be used for guidance. This Standard is not applicable to smoke detectors with special characteristics, developed for specific risks.

NOTE Certain types of detectors contain radioactive materials.

The major changes in this edition are as follows:

- (a) Introduction of requirements and tests/assessment methods for a new detector technology (open detectors).
- (b) Inclusion of definitions for open detectors and traditional closed detectors.

The latest ISO publication now has two levels of sensitivity category. The changes, if adopted directly, have the potential to effect currently conforming products in the Australian market. There would be insufficient time for manufacturers and suppliers to transition current product to the new ISO requirements. This potentially will reduce the products available in the market.

This modification is to amend Band 1 to permit both the current sensitivity assessment and the new classes, including currently conforming product.

This Standard is an adoption with national modifications, and has been reproduced from, ISO 7240-7:2018, *Fire detection and alarm systems — Part 7: Point-type smoke detectors using scattered light, transmitted light or ionization*. The modifications are additional requirements and are set out in Appendix ZZ, which has been added at the end of the source text.

Appendix ZZ lists the variations to ISO 7240-7:2018 for the application of this Standard in Australia.

As this document has been reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

Australian Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

Contents

Preface	ii
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General requirements	2
4.1 Compliance	2
4.2 Response threshold value of detectors using scattered or transmitted light	3
4.3 Individual alarm indication	3
4.4 Connection of ancillary devices	3
4.5 Monitoring of detachable detectors	3
4.6 Manufacturer's adjustments	3
4.7 On-site adjustment of response behaviour	3
4.8 Protection against the ingress of foreign bodies	4
4.8.1 Closed detectors	4
4.8.2 Open detectors	4
4.9 Response to slowly developing fires	4
4.10 Requirements for software-controlled detectors	4
4.10.1 General	4
4.10.2 Software design	5
4.10.3 Storage of programs and data	5
5 Tests	5
5.1 General	5
5.1.1 Atmospheric conditions for tests	5
5.1.2 Operating conditions for tests	5
5.1.3 Mounting arrangements	6
5.1.4 Tolerances	6
5.1.5 Measurement of response threshold value	6
5.1.6 Provision for tests	6
5.1.7 Test schedule	7
5.1.8 Test report	7
5.2 Repeatability	8
5.2.1 Object of test	8
5.2.2 Test procedure	8
5.2.3 Requirements	8
5.3 Directional dependence	8
5.3.1 Object of test	8
5.3.2 Test procedure	8
5.3.3 Requirements	8
5.4 Reproducibility	9
5.4.1 Object of test	9
5.4.2 Test procedure	9
5.4.3 Requirements	9
5.5 Variation in supply parameters	9
5.5.1 Object of test	9
5.5.2 Test procedure	9
5.5.3 Requirements	10
5.6 Air movement	10
5.6.1 Object of test	10
5.6.2 Test procedure	10
5.6.3 Requirements	11

5.7	Dazzling	11
5.7.1	Object of test	11
5.7.2	Test procedure	11
5.7.3	Requirements	11
5.8	Additional tests for open detectors	12
5.8.1	Object of the test	12
5.8.2	Test procedure	12
5.9	Dry heat (operational)	12
5.9.1	Object of test	12
5.9.2	Test procedure	12
5.9.3	Requirements	13
5.10	Cold (operational)	13
5.10.1	Object of test	13
5.10.2	Test procedure	13
5.10.3	Requirements	14
5.11	Damp heat, steady state (operational)	14
5.11.1	Object of test	14
5.11.2	Test procedure	14
5.11.3	Requirements	14
5.12	Damp heat, steady state (endurance)	15
5.12.1	Object of test	15
5.12.2	Test procedure	15
5.12.3	Requirements	15
5.13	Sulfur dioxide (SO ₂) corrosion (endurance)	15
5.13.1	Object of test	15
5.13.2	Test procedure	15
5.13.3	Requirements	16
5.14	Shock (operational)	16
5.14.1	Object of test	16
5.14.2	Test procedure	16
5.14.3	Requirements	17
5.15	Impact (operational)	17
5.15.1	Object of test	17
5.15.2	Test procedure	17
5.15.3	Requirements	18
5.16	Vibration, sinusoidal, (operational)	18
5.16.1	Object of test	18
5.16.2	Test procedure	18
5.16.3	Requirements	19
5.17	Vibration, sinusoidal (endurance)	19
5.17.1	Object of test	19
5.17.2	Test procedure	19
5.17.3	Requirements	20
5.18	Electromagnetic compatibility (EMC) immunity tests (operational)	20
5.19	Fire sensitivity	20
5.19.1	Object of test	20
5.19.2	Test procedure	21
5.19.3	Requirements	22
6	Test report	22
7	Marking	22
8	Data	23
8.1	Hardware documentation	23
8.2	Software documentation	23
Annex A	(normative) Smoke tunnel for response threshold value measurements	25
Annex B	(normative) Test aerosol for response threshold value measurements	26

Annex C	(normative) Smoke-measuring instruments	27
Annex D	(normative) Apparatus for dazzling test	31
Annex E	(normative) Apparatus for impact test	32
Annex F	(normative) Fire test room	34
Annex G	(normative) Smouldering (pyrolysis) wood fire (TF2)	36
Annex H	(normative) Glowing smouldering cotton fire (TF3)	39
Annex I	(normative) Flaming plastics (polyurethane) fire (TF4)	41
Annex J	(normative) Flaming liquid (<i>n</i>-heptane) fire (TF5)	44
Annex K	(informative) Information concerning the construction of the smoke tunnel	47
Annex L	(informative) Compensation for detector drift	49
Annex M	(informative) Information concerning the construction of the measuring ionization chamber	53
Annex N	(normative) Apparatus for open detector static object test	55
Annex O	(normative) Apparatus for testing the protection against the effect of moving objects	56
Bibliography		58
Appendix ZZ	(normative) Variations to ISO 7240-7:2018 for Australia	59

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 21, *Equipment for fire protection and fire fighting*, Subcommittee SC 3, *Fire detection and alarm systems*.

This third edition cancels and replaces the second edition (ISO 7240:2011), which has been technically revised.

The main change compared to the previous edition is the introduction of requirements and tests/assessment methods for a new detector technology: open detectors. Definitions for open detectors and traditional closed detectors have been included in [Clause 3](#).

A list of all parts in the ISO 7240 series can be found on the ISO website.

Introduction

This document is based on a draft prepared by the European Committee for Standardization's CEN/TC 72, *Automatic fire detection systems*.

A fire detection and alarm system is required to function satisfactorily not only in the event of fire, but also during and after exposure to conditions likely to be met in practice, including corrosion, vibration, direct impact, indirect shock and electromagnetic interference. Specific tests are intended to assess the performance of the smoke detectors under such conditions.

This document is not intended to place any other restrictions on the design and construction of such detectors.

This edition of this document introduces a requirement for smoke detectors that operate on the scattered or transmitted light principle to be marked with one of two possible nominal response threshold value bands. This marking provides for a clearer choice of response values so that the risk of unwanted alarms may be decreased in installations where unfavourable environmental conditions are present.

NOTE For some test fires, smoke detectors that operate on the scattered or transmitted light principle and that have been factory set to the upper response threshold value band can fall outside one of the classification limits given in ISO/TS 7240-9.

This edition of this document introduces additional requirements for optical smoke detectors with the sensing volume(s) outside the enclosure.

This is a free 10 page sample. Access the full version online.

NOTES

This is a free preview. Purchase the entire publication at the link below:

AS 7240.7 : 2018 : EN : COMBINED PDF

-
- ⏪ Looking for additional Standards? Visit SAI Global Infostore
 - ⏩ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us