



NSAI
Standards

Irish Standard Recommendation
S.R. CEN ISO/TS 19091:2019

Intelligent transport systems - Cooperative ITS - Using V2I and I2V communications for applications related to signalized intersections (ISO/TS 19091:2019)

© CEN 2019 No copying without NSAI permission except as permitted by copyright law.

S.R. CEN ISO/TS 19091:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN ISO/TS 19091:2019

Published:

2019-07-03

This document was published under the authority of the NSAI and comes into effect on:

2019-07-21

ICS number:

03.220.20

35.240.60

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN ISO/TS 19091:2019 is the adopted Irish version of the European Document CEN ISO/TS 19091:2019, Intelligent transport systems - Cooperative ITS - Using V2I and I2V communications for applications related to signalized intersections (ISO/TS 19091:2019)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free 19 page sample. Access the full version online.

This page is intentionally left blank

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN ISO/TS 19091

July 2019

ICS 03.220.20; 35.240.60

Supersedes CEN ISO/TS 19091:2017

English Version

**Intelligent transport systems - Cooperative ITS - Using V2I
and I2V communications for applications related to
signalized intersections (ISO/TS 19091:2019)**

Systèmes intelligents de transport - Coopérative ITS -
Utilisation de communications V2I et I2V pour des
applications relatives aux intersections signalées
(ISO/TS 19091:2019)

Intelligente Transportsysteme - Kooperative ITS -
Nutzung von V2I und I2V-Kommunikation für
Anwendungen bezogen auf Signalanlagen an
Kreuzungen (ISO/TS 19091:2019)

This Technical Specification (CEN/TS) was approved by CEN on 14 June 2019 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

This is a free 19 page sample. Access the full version online.

European foreword

This document (CEN ISO/TS 19091:2019) has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" in collaboration with Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 19091:2017.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 19091:2019 has been approved by CEN as CEN ISO/TS 19091:2019 without any modification.

This is a free 19 page sample. Access the full version online.

This page is intentionally left blank

**Intelligent transport systems —
Cooperative ITS — Using V2I and I2V
communications for applications
related to signalized intersections**

*Systèmes intelligents de transport — Coopérative ITS — Utilisation
de communications V2I et I2V pour des applications relatives aux
intersections signalées*



This is a free 19 page sample. Access the full version online.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviated terms	10
5 General description (informative).....	12
5.1 Overview	12
5.2 Functional model.....	12
5.2.1 Description	12
5.2.2 Architecture	14
5.2.3 Message interactions	16
5.2.4 Common operational assumptions.....	16
5.3 Safety use cases.....	18
5.3.1 Intent	18
5.3.2 Additional assumptions.....	18
5.3.3 Architecture implications	18
5.4 Mobility/sustainability use cases.....	19
5.4.1 Intent	19
5.4.2 Additional assumptions.....	19
5.4.3 Architecture implications	19
5.5 Priority/pre-emption use cases.....	20
5.5.1 Intent	20
5.5.2 Additional assumptions.....	21
5.5.3 Architecture implications	21
5.5.4 Public transport signal priority application	22
5.5.5 Freight vehicle signal priority application	23
5.5.6 Emergency (public safety) vehicle pre-emption application	25
6 Function description (informative).....	25
6.1 Public safety vehicle.....	26
6.1.1 Broadcast public safety vehicle information	26
6.1.2 Broadcast emergency response indication.....	26
6.2 Signal pre-emption	26
6.2.1 Signal pre-empt request (normal power)	26
6.2.2 Signal pre-empt request (high power)	26
6.2.3 Request signal pre-empt — Message identifier	27
6.2.4 Request signal pre-empt — Intersection identifier.....	27
6.2.5 Request signal pre-empt — Approach lane	27
6.2.6 Request signal pre-empt — Egress lane.....	27
6.2.7 Request signal pre-empt — Vehicle class.....	27
6.2.8 Request signal pre-empt — Time of service.....	27
6.2.9 Request signal pre-empt — Vehicle identity.....	28

6.2.10	Request signal pre-empt — Vehicle location and speed	28
6.2.11	Request signal pre-empt — Cancellation	28
6.2.12	Request signal pre-empt — Transaction identifier	28
6.2.13	Request signal pre-empt — Duration	28
6.3	Public transport and commercial vehicle	28
6.3.1	Broadcast priority requesting vehicle information	28
6.4	Signal priority requirements	29
6.4.1	Signal priority request	29
6.4.2	Request signal priority — Message identifier	29
6.4.3	Request signal priority — Intersection identifier	29
6.4.4	Request signal priority — Approach lane	29
6.4.5	Request signal priority — Egress lane	29
6.4.6	Request signal priority — Vehicle class	30
6.4.7	Request signal priority — Time of service	30
6.4.8	Request signal priority — Vehicle identity	30
6.4.9	Request signal priority — Vehicle location and speed	30
6.4.10	Request signal priority — Service information	30
6.4.11	Request signal priority cancellation	31
6.4.12	Request signal priority — Priority request level	31
6.4.13	Request signal priority — Transaction identifier	31
6.4.14	Request signal priority — Duration	31
6.4.15	Request signal priority — Transit schedule	31
6.5	Broadcast area's geometrics	31
6.5.1	Broadcast roadway geometrics	31
6.5.2	Broadcast roadway geometrics — Message identifier	31
6.5.3	Broadcast intersection — Identifier	32
6.5.4	Broadcast intersection — Reference point	32
6.5.5	Broadcast intersection — Lane/approach default width	32
6.5.6	Broadcast intersection — Egress lanes/approach	32
6.5.7	Broadcast intersection — Ingress lanes/approach	32
6.5.8	Broadcast intersection — Lane/approach number	32
6.5.9	Broadcast intersection — Lane/approach centerline coordinates	32
6.5.10	Broadcast intersection — Vehicle lane/approach manoeuvres	33
6.5.11	Broadcast intersection — Pedestrian crossing lane/approach manoeuvres	33
6.5.12	Broadcast intersection — Special lane/approach manoeuvres	34
6.5.13	Broadcast intersection — Version identifier	34
6.5.14	Broadcast intersection — Crossings	34
6.5.15	Broadcast intersection — Lane/approach width	34
6.5.16	Broadcast intersection — Node lane/approach width	34
6.5.17	Broadcast intersection — Egress connection	35
6.5.18	Broadcast intersection — Traffic control	35
6.5.19	Broadcast intersection — Traffic control by lane/approach	35
6.5.20	Broadcast road conditions	35
6.5.21	Broadcast intersection — Signal group	35
6.6	Broadcast GNSS augmentation details	35
6.6.1	Broadcast GNSS augmentations	35
6.6.2	Broadcast GNSS augmentation detail — NMEA	36
6.6.3	Broadcast GNSS augmentation detail — RTCM	36
6.7	Signalized intersection requirements	36
6.7.1	Broadcast signal phase and timing information	36
6.7.2	Broadcast signal phase and timing — Message identifier	36
6.7.3	Broadcast signal phase and timing — Intersection identifier	36

6.7.4	Broadcast signal phase and timing — Intersection status.....	36
6.7.5	Broadcast signal phase and timing — Timestamp.....	37
6.7.6	Broadcast manoeuvre — Signal group.....	37
6.7.7	Broadcast manoeuvre — Manoeuvre state.....	37
6.7.8	Broadcast manoeuvre — Vehicular state.....	37
6.7.9	Broadcast manoeuvre — Pedestrian state.....	37
6.7.10	Broadcast manoeuvre — Special state.....	37
6.7.11	Broadcast manoeuvre — Time of change — Minimum.....	37
6.7.12	Broadcast manoeuvre — Time of change — Maximum.....	38
6.7.13	Broadcast manoeuvre — Succeeding signal indications.....	38
6.7.14	Broadcast manoeuvre — Succeeding signal indication time of change.....	39
6.7.15	Broadcast manoeuvre pending manoeuvre start time.....	39
6.7.16	Broadcast manoeuvre — Pedestrian detect.....	39
6.7.17	Broadcast manoeuvre — Pedestrian call.....	39
6.7.18	Broadcast manoeuvre — Optimal speed information.....	39
6.7.19	Broadcast manoeuvre — Signal progression information.....	39
6.7.20	Broadcast manoeuvre — Egress lane queue.....	39
6.7.21	Broadcast manoeuvre — Egress lane storage availability.....	40
6.7.22	Broadcast manoeuvre — Wait indication.....	40
6.8	Broadcast cross traffic sensor information.....	40
6.9	Broadcast vulnerable road user sensor information.....	40
6.10	Broadcast dilemma zone violation warning.....	40
6.11	Broadcast signal preferential treatment status.....	40
6.11.1	Broadcast preferential treatment — Signal status message.....	40
6.11.2	Broadcast preferential treatment — Message identifier.....	41
6.11.3	Broadcast preferential treatment — Intersection identifier.....	41
6.11.4	Broadcast preferential treatment — Intersection status.....	41
6.11.5	Broadcast preferential treatment — Prioritization request status.....	41
6.11.6	Broadcast preferential treatment — Vehicle source.....	41
6.11.7	Broadcast preferential treatment — Transaction identifier.....	41
6.12	Message identifier.....	41
6.13	System performance requirements.....	42
6.13.1	Broadcast intersection — Computed lane/approach.....	42
6.14	Transmission rates — Signal preferential treatment.....	42
6.14.1	Maximum transmission rate — Request signal preferential treatment.....	42
6.14.2	Maximum response time — Request signal preferential treatment.....	42
6.14.3	Minimum transmission rate — Signal status message.....	42
6.14.4	Minimum transmission period — Signal status message.....	42
6.15	Transmission rate requirements — Broadcast roadway geometrics information.....	42
6.15.1	Minimum transmission rate — Broadcast roadway geometrics information.....	43
6.15.2	Maximum transmission rate — Broadcast roadway geometrics information.....	43
6.15.3	Default transmission rate — Broadcast roadway geometrics information.....	43
6.16	Transmission rate requirements — GNSS augmentations detail broadcasts.....	43
6.16.1	Minimum transmission rate — GNSS augmentation details broadcasts.....	43
6.16.2	Default transmission rate — GNSS augmentation details broadcasts.....	43
6.17	Transmission rate requirements — Broadcast signal phase and timing information.....	43
6.17.1	Minimum transmission rate — Broadcast signal phase and timing information.....	43
6.17.2	Maximum transmission rate — Broadcast signal phase and timing information.....	43
6.17.3	Default transmission rate — Broadcast signal phase and timing information.....	43
6.18	Transmission rate requirements — Broadcast cross traffic sensor information.....	44
6.18.1	Minimum transmission rate — Broadcast cross traffic sensor information.....	44
6.18.2	Maximum transmission rate — Broadcast cross traffic sensor information.....	44
6.18.3	Default transmission rate — Broadcast cross traffic sensor information.....	44

6.19	Transmission rate requirements — Broadcast vulnerable road user sensor information	44
6.19.1	Transmission rate — Broadcast vulnerable road user sensor information	44
6.19.2	Maximum transmission rate — Broadcast vulnerable road user sensor information	44
6.19.3	Default transmission rate — Broadcast vulnerable road user sensor information.....	44
7	Messages	44
8	Conformance	45
Annex A (informative)	Use cases.....	46
Annex B (informative)	Use case to requirements traceability.....	110
Annex C (informative)	Requirements traceability matrix.....	127
Annex D (normative)	Extension procedures	143
Annex E (normative)	Profile A for J2735™	144
Annex F (normative)	Profile B for J2735™	148
Annex G (normative)	Profile C for J2735™	173
Bibliography	233

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This second edition cancels and replaces the first edition (ISO/TS 19091:2017), which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Cooperative-ITS (C-ITS) is a promising and remarkable advancement of intelligent transport systems (ITS). Numerous cooperative applications are specified that open up new possibilities to make traffic safer, more efficient, and smarter. Technologies are developed and improved to realize and support those new services and applications. To enable those applications, information needs to be reliably communicated between the stationary infrastructure and mobile vehicles.

This document describes the use cases for several applications that address safety, mobility, and ecological sustainability. Each use case has information needs that communication between vehicles and the infrastructure facilitate. It then identifies the information needs for the applications and the requirements to satisfy them. In turn, it maps the requirements into data frames and data elements to fulfil the requirements within the specified message set.

ISO 22951 has a relationship to this document. PRESTO addresses its user needs through the implementation of a specific system architecture similar to that described in NTCIP 1211. This architecture includes traffic signals, message signs, routing systems, human machine interfaces, and fixed detection locations. Many of PRESTO's data value details are "left undefined to allow for discretionary definition by each country." The PRESTO architecture detects priority requesting vehicles by installing specific detection equipment at these locations.

This document uses a similar set of user needs to develop the message set between vehicles and the roadside equipment they interface. This document does not address the system architecture other than data needed to fulfil the user needs that will be managed elsewhere in the architecture. It details data values and structures in order to define the interface between these two devices. Routing information is supported in the architecture through other mechanisms and is not a need supported by the vehicle to roadside equipment information flows. The user needs also provide for priority by approach, a preconfigured strategy, and ingress/egress lane requests. This document is based on vehicles periodically broadcasting their location and trajectory information to other vehicles and the roadside infrastructure. This document complements ISO 22951 as it provides for vehicle location and request information directly from connected vehicles rather than the detection of the vehicles from other fixed sensing equipment. It does not address the architecture data flows and operations that are detailed within ISO 22951. In other terms, this document provides a connected vehicle alternative for request and status communication without impacting the back office or local intersection operations of priority management.

Intelligent transport systems — Cooperative ITS — Using V2I and I2V communications for applications related to signalized intersections

1 Scope

This document defines the message, data structures, and data elements to support exchanges between the roadside equipment and vehicles to address applications to improve safety, mobility and environmental efficiency. In order to verify that the defined messages will satisfy these applications, a systems engineering process has been employed that traces use cases to requirements and requirements to messages and data concepts.

This document consists of a single document that contains the base specification and a series of annexes. The base specification lists the derived information requirements (labelled informative) and references to other standards for message definitions where available. Annex A contains descriptions of the use cases addressed by this document. Annexes B and C contain traceability matrices that relate use cases to requirements and requirements to the message definitions (i.e. data frames and data elements). The next annexes list the base message requirements and application-oriented specific requirements (requirements traceability matrix) that map to the message and data concepts to be implemented. As such, an implementation consists of the base plus an additional group of extensions within this document.

Details on information requirements, for other than SPaT, MAP, SSM, and SRM messages are provided in other International Standards. The focus of this document is to specify the details of the SPaT, MAP, SSM, and SRM supporting the use cases defined in this document. Adoption of these messages varies by region and their adoption can occur over a significant time period.

This document covers the interface between roadside equipment and vehicles. Applications, their internal algorithms, and the logical distribution of application functionality over any specific system architecture are outside the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE As this document contains multiple profiles, the reference's associated profile(s) are listed within braces.

ISO 22951, *Data dictionary and message sets for preemption and prioritization signal systems for emergency and public transport vehicles (PRESTO) {A, B}*

ISO 26684, *Intelligent transport systems (ITS) — Cooperative intersection signal information and violation warning systems (CIWS) — Performance requirements and test procedures {B}*

SAE J2735:2016, *Dedicated Short Range Communications (DSRC) Message Set Dictionary {A, B, C}*

ARIB STD-T109, *700 MHz Band Intelligent Transport Systems {B}*

This is a free preview. Purchase the entire publication at the link below:

**SR CEN ISO/TS 19091 : 2019 : EN : COMBINED
PDF**

-
- ⤵ Looking for additional Standards? Visit SAI Global Infostore
 - ⤵ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us