

Australian Standard[®]

**Ductwork for air-handling systems in
buildings**

Part 1: Flexible duct



This Australian Standard® was prepared by Committee ME-062, Ventilation and Air Conditioning. It was approved on behalf of the Council of Standards Australia on 18 May 2012. This Standard was published on 8 June 2012.

The following are represented on Committee ME-062:

- Air Conditioning and Mechanical Contractors Association
 - Australasian Fire and Emergency Service Authorities Council
 - Australian Building Codes Board
 - Australian Institute of Refrigeration Air Conditioning and Heating
 - Chartered Institution of Building Services Engineers
 - Consumer Electronics Suppliers Association
 - Department of Health and Human Services, Tas.
 - Engineers Australia
 - Facility Management Association of Australia
 - NSW Health Department
 - Plastics and Chemicals Industries Association
 - Plumbing Industry Commission
-

This Standard was issued in draft form for comment as DR AS 4254.1.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Ductwork for air-handling systems in buildings

Part 1: Flexible duct

Originated as part of AS 4254—1995.
Previous edition part of AS 4254—2002.
Revised in part and redesignated as AS 4254.1—2012.

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 978 1 74342 147 5

PREFACE

This Standard was prepared by the Australian members of Joint Standards Australia/Standards New Zealand Committee ME-062, Ventilation and Air Conditioning, to supersede, in part, AS 4254—2002, *Ductwork for air-handling systems in buildings*, due to industry recognized inefficiencies with the installation and quality of flexible duct used in Australia.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

Independent studies in both Australia and the USA have estimated thermal energy losses in the vicinity of 20% to 40% in flexible duct systems due to ineffective air and vapour sealing, poor installation practices and insulation being thermally deficient for the application into which it is installed.

The current NCC requires different thermal ratings for insulation used on flexible duct, depending on the climate zone and the application it is installed into. This, in conjunction with the increased energy efficiency requirements for new constructions, along with rising costs of energy is driving the requirement for more efficient flexible duct systems.

This Standard is Part 1 of a series on ductwork for air-handling systems, as follows:

AS

4254 Ductwork for air-handling systems in buildings

4254.1 Part 1: Flexible duct

4254.2 Part 2: Rigid ductwork

The main changes from the 2002 edition of AS 4254 are summarized as follows:

- (a) Definition for 'flexible duct system' has been added.
- (b) Flexible Duct Compliance Report Summary (FDCRS) has been modified and has become mandatory. Copies of original NATA test reports referenced in the FDCRS shall be provided upon request.
- (c) Requirements for flexible duct in wet areas, such as bathrooms, toilets and laundries, have been modified.
- (d) Requirements for applying duct tape to provide total air and vapour seal have been modified.
- (e) Requirements for validity period for test results have been added.
- (f) Mandatory requirements for labelling of flexible duct have been added.
- (g) Requirements for installation have been modified.
- (h) Requirements for hanger support and load distribution systems have been modified.
- (i) Layout has been restructured.

The term 'normative' has been used in this Standard to define the application of the appendix to which it applies. A 'normative' appendix is an integral part of a Standard.

CONTENTS

	Page
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	4
1.2 OBJECTIVE.....	4
1.3 NORMATIVE REFERENCES	5
1.4 DEFINITIONS.....	5
1.5 NEW DESIGNS AND INNOVATIONS	6
1.6 TESTING.....	7
SECTION 2 CONSTRUCTION AND INSTALLATION	
2.1 FLEXIBLE DUCT	8
2.2 FLEXIBLE DUCT SEALING	8
2.3 CONSTRUCTION.....	9
2.4 TEST CRITERIA.....	9
2.5 INSTALLATION	10
2.6 THERMAL INSULATION USED ON FLEXIBLE DUCT	22
2.7 LABELLING OF FLEXIBLE DUCT	22
2.8 VALIDITY PERIOD FOR TEST RESULTS.....	23
2.9 FLEXIBLE DUCT COMPLIANCE REPORT SUMMARY	23
APPENDICES	
A FLEXIBLE DUCT COMPLIANCE REPORT SUMMARY	24

This is a free preview. Purchase the entire publication at the link below:

AS 4254.1 : 2012 : EN PDF

- ⤵ Looking for additional Standards? Visit SAI Global Infostore
- ⤵ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation

Need to speak with a Customer Service Representative - Contact Us