



NSAI
Standards

Irish Standard
I.S. EN ISO 10416:2009

Petroleum and natural gas industries - Drilling fluids - Laboratory testing (ISO 10416:2008)

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 10416:2009

Incorporating amendments/corrigenda issued since publication:

This is a free 15 page sample. Access the full version online.

<i>This document replaces:</i>	<i>This document is based on:</i> EN ISO 10416:2009	<i>Published:</i> 2 December, 2009
This document was published under the authority of the NSAI and comes into effect on: 29 December, 2009		ICS number: 75.100 75.180.10
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

ICS 75.100; 75.180.10

English Version

Petroleum and natural gas industries - Drilling fluids - Laboratory testing (ISO 10416:2008)

Industries du pétrole et du gaz naturel - Fluides de forage -
Essais en laboratoire (ISO 10416:2008)

Erdöl- und Erdgasindustrie - Bohrspülungen -
Laborversuche (ISO 10416:2008)

This European Standard was approved by CEN on 15 November 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

This is a free 15 page sample. Access the full version online.

Foreword

The text of ISO 10416:2008 has been prepared by Technical Committee ISO/TC 67 “Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 10416:2009 by Technical Committee CEN/TC 12 “Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2010, and conflicting national standards shall be withdrawn at the latest by June 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 10416:2008 has been approved by CEN as a EN ISO 10416:2009 without any modification.

This page is intentionally left BLANK.

**Petroleum and natural gas industries —
Drilling fluids — Laboratory testing**

*Industries du pétrole et du gaz naturel — Fluides de forage — Essais
en laboratoire*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This is a free 15 page sample. Access the full version online.

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviations	3
5 Barite	6
5.1 Principle	6
5.2 Reagents and apparatus	6
5.3 Sampling	7
5.4 Calculation of moisture content	7
5.5 Sieve analysis	7
5.6 Sedimentation analysis	8
6 Barite performance	12
6.1 Principle	12
6.2 Reagents and apparatus	12
6.3 Base drilling fluid preparation	13
6.4 Rheology test	13
6.5 Calculation	14
7 Abrasiveness of weighting materials	14
7.1 Principle	14
7.2 Reagents and apparatus	15
7.3 Determination of abrasion	15
8 Mercury in drilling fluid barite	17
8.1 Principle	17
8.2 Reagents and apparatus	17
8.3 Preparation of standards	19
8.4 Sample digestion	19
8.5 Check for recovery of Hg during digestion	20
8.6 Analysis of standards and samples	20
8.7 Calculation	20
9 Cadmium and lead in drilling fluid barite	21
9.1 Principle	21
9.2 Reagents and apparatus	21
9.3 Preparation of combined cadmium and lead standards	22
9.4 Sample digestion	22
9.5 Analysis of standards and samples	22
9.6 Calculation	23
10 Arsenic in drilling fluid barite	23
10.1 Principle	23
10.2 Reagents and apparatus	24
10.3 Preparation of standards	25
10.4 Sample digestion	25
10.5 Analysis of standards and samples	26
10.6 Calculation	26
11 Bridging materials for regaining circulation	26

11.1	Principle	26
11.2	Apparatus.....	27
11.3	Preparation of test drilling fluid.....	27
11.4	Static slot test.....	27
11.5	Dynamic slot test	28
11.6	Static marble bed test.....	28
11.7	Dynamic marble bed test.....	28
11.8	Static ball bearings (BB shot) bed test	29
11.9	Dynamic ball bearings (BB shot) bed test.....	29
12	Filtration-control agents.....	29
12.1	Principle	29
12.2	Reagents and apparatus	29
12.3	General instructions for preparation of base drilling fluids	31
12.4	Salt-saturated drilling fluid.....	31
12.5	High-hardness, salt-saturated drilling fluid.....	32
12.6	10 % potassium chloride (KCl) drilling fluid.....	32
12.7	Pre-hydrated bentonite slurry.....	33
12.8	Modified seawater drilling fluid	33
12.9	Low-salinity drilling fluid.....	33
12.10	Lime-treated drilling fluid	34
12.11	Low solids, non-dispersed drilling fluid	34
12.12	Freshwater lignosulfonate drilling fluid.....	35
12.13	Initial performance test.....	35
12.14	Performance after heat ageing	36
13	Methylene blue test for drilled solids and commercial bentonite.....	36
13.1	Methylene blue capacity of drill solids	36
13.2	Methylene blue capacity of commercial bentonite	39
13.3	Solids content.....	40
14	Deflocculation test for thinner evaluation	41
14.1	Principle	41
14.2	Reagents and apparatus	42
14.3	Procedure for moisture content	43
14.4	Calculation of moisture content	43
14.5	Preparation of drilling fluid base.....	43
14.6	Calculation	44
14.7	Determination of rheological properties.....	44
14.8	Calculation of thinner efficiency.....	46
15	Testing base oils used in drilling fluids.....	46
15.1	General.....	46
15.2	Reagents and apparatus	46
15.3	Density, relative density (specific gravity), or API gravity-hydrometer method (see ISO 3675).....	46
15.4	Density and relative density of liquids using a digital density meter (see ASTM D 4052)	47
15.5	Kinematic viscosity of transparent and opaque oils — Calibrated capillary tube method (see ISO 3104).....	47
15.6	Distillation (see ISO 3405)	47
15.7	Aniline point and mixed aniline point (see ISO 2977:1997).....	48
15.8	Pour point (see ISO 3016).....	48
15.9	Flash point by Pensky-Martens closed tester (see ISO 2719)	49
15.10	Aromatics content (see IP 391 or ASTM D 5186).....	49
16	Potassium ion content — Ion-selective electrode method.....	50
16.1	Principle	50
16.2	Reagents and apparatus	50
16.3	Preparation of electrodes.....	51
16.4	Operational check of electrode system	51
16.5	Measurements using a meter with direct concentration readout capability	52

16.6	Measurements with instruments that provide either a digital or an analogue readout in millivolts	52
17	Calcium ion content — Ion-selective electrode method.....	53
17.1	Principle.....	53
17.2	Reagents and apparatus	53
17.3	Preparation of electrodes	54
17.4	Operational check of electrode system.....	55
17.5	Measurements using a meter with direct concentration readout capability	55
17.6	Measurements with instruments that provide either a digital or an analogue readout in millivolts	55
18	Sodium ion content — Ion-selective electrode method	56
18.1	Principle.....	56
18.2	Reagents and apparatus	57
18.3	Preparation and operational check of the electrode system	57
18.4	Measurements using a meter with a direct concentration-readout capability.....	58
18.5	Measurements using a meter with readout in millivolts.....	58
19	Density of solids — Stereopycnometer method.....	59
19.1	Principle.....	59
19.2	Apparatus	59
19.3	Procedure — Stereopycnometer method.....	59
19.4	Calculation — Stereopycnometer method	60
20	Density of solids — Air comparison pycnometer method	61
20.1	Principle.....	61
20.2	Apparatus	61
20.3	Procedure — Air comparison pycnometer method	61
20.4	Calculation — Air comparison pycnometer method.....	61
21	Ageing of water-based drilling fluids.....	62
21.1	Principle.....	62
21.2	Practices common to preparation, handling and testing over all temperature ranges.....	62
21.3	Drilling fluid sample preparation and ageing at ambient temperature	63
21.4	Drilling fluid ageing at moderate temperatures [ambient to 65 °C (150 °F)].....	64
21.5	Drilling fluid ageing at substantially elevated temperatures [over 65 °C (150 °F)]	66
21.6	Inertness and chemical compatibility in high-temperature ageing cells.....	68
21.7	Obtaining supplies and services for the ageing of drilling fluid samples	69
22	Ageing of oil-based drilling fluids.....	69
22.1	Principle.....	69
22.2	Apparatus	70
22.3	Practices common to preparation, handling and testing over all temperature ranges.....	71
22.4	Drilling fluid ageing at ambient temperatures	72
22.5	Drilling fluid ageing at moderate temperatures [ambient to 65 °C (150 °F)].....	73
22.6	Drilling fluid ageing at substantially elevated temperatures [over 65 °C (150 °F)]	74
22.7	Inertness and chemical compatibility in high-temperature ageing cells.....	75
22.8	Obtaining supplies and services for the ageing of drilling fluid samples	76
23	Shale-particle disintegration test by hot rolling	76
23.1	Principle.....	76
23.2	Reagents and apparatus	77
23.3	Procedure	77
23.4	Calculation.....	78
24	Drilling fluid materials — High-viscosity polyanionic cellulose (PAC-HV) (regular)	79
24.1	Principle.....	79
24.2	Determination of moisture content.....	79
24.3	Procedures with test fluid containing PAC-HV.....	80
25	Drilling fluid materials — Low-viscosity polyanionic cellulose (PAC-LV).....	82
25.1	Principle.....	82
25.2	Determination of moisture content.....	83

25.3	Procedures with test fluid containing PAC-LV	83
26	Preparation and evaluation of invert-emulsion drilling fluids	86
26.1	Principle	86
26.2	Reagents and apparatus	86
26.3	Mixing of the initial drilling fluid	87
26.4	Testing the properties of the initial drilling fluid	88
26.5	Preparation of the sample contaminated by seawater	88
26.6	Preparation of the sample contaminated by base evaluation clay	89
26.7	Preparation of the sample contaminated by mixed-salt brine	89
26.8	Procedure for hot-rolling	89
26.9	Procedure for static ageing	89
26.10	Procedure for testing after heat ageing	90
27	High-temperature/high-pressure filtration testing of drilling fluids using the permeability plugging apparatus and cells with set-screw-secured end caps	90
27.1	Principle	90
27.2	Safety considerations	90
27.3	Apparatus — Permeability-plugging apparatus (PPA) with set-screw-secured end caps	92
27.4	Procedure for high-temperature/high-pressure (HTHP) filtration	94
27.5	Test conclusion and disassembly	97
27.6	Data reporting	99
28	High-temperature/high-pressure filtration testing of drilling fluids using the permeability- plugging apparatus and cells with threaded end caps	100
28.1	Principle	100
28.2	Safety considerations	100
28.3	Apparatus — Permeability-plugging apparatus (PPA) with threaded end caps	102
28.4	Procedure for high-temperature/high-pressure (HTHP) filtration	104
28.5	Test conclusion and disassembly	106
28.6	Data reporting	108
	Bibliography	109

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10416 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

This second edition cancels and replaces the first edition (ISO 10416:2002), which has been technically revised.

Introduction

This International Standard, which establishes testing methodologies for drilling fluid materials, is based on API RP 13I, seventh edition/ISO 10416:2002 [2]. This International Standard was developed in response to a demand for more exacting testing methodologies. The tests contained herein were developed over several years by a group of industry experts and were identified as being those which can yield reproducible and accurate results. The tests are anticipated to be performed in a laboratory setting, but can be applicable in a field situation with more rigorous apparatus and conditions than normally found in a drilling fluid field-test kit.

These tests are designed to assist in the evaluation of certain parameters for drilling fluids, with these properties not necessarily used for the maintenance of a drilling fluid in field use. The tests provide either more precision or different properties than those given in the field-testing standards ISO 10414-1 and ISO 10414-2.

It is necessary that users of this International Standard be aware that further or differing requirements can be needed for individual applications. This International Standard is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This may be particularly appropriate where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this International Standard and provide details.

As with any laboratory procedure requiring the use of potentially hazardous chemicals, the user is expected to have received proper knowledge and training in the use and disposal of these chemicals. The user is responsible for compliance with all applicable local, regional, and national regulations for worker and local health, safety and environmental liability.

This International Standard contains footnotes giving examples of apparatus, reagents and sometimes the supplier(s) of those materials that are available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of the products named. Equivalent products may be used if they can be shown to lead to the same results.

Petroleum and natural gas industries — Drilling fluids — Laboratory testing

1 Scope

This International Standard provides procedures for the laboratory testing of both drilling fluid materials and drilling fluid physical, chemical and performance properties. It is applicable to both water-based and oil-based drilling fluids, as well as the base or “make-up” fluid.

It is not applicable as a detailed manual on drilling fluid control procedures. Recommendations regarding agitation and testing temperature are presented because the agitation history and temperature have a profound effect on drilling fluid properties.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 91-1:1992, *Petroleum measurement tables — Part 1: Tables based on reference temperatures of 15 °C and 60 °F*

ISO 2719, *Determination of flash point — Pensky-Martens closed cup method*

ISO 2977:1997, *Petroleum products and hydrocarbon solvents — Determination of aniline point and mixed aniline point*

ISO 3007, *Petroleum products and crude petroleum — Determination of vapour pressure — Reid method*

ISO 3016, *Petroleum products — Determination of pour point*

ISO 3104, *Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity*

ISO 3405:2000, *Petroleum products — Determination of distillation characteristics at atmospheric pressure*

ISO 3675, *Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method*

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

ISO 3839, *Petroleum products — Determination of bromine number of distillates and aliphatic olefins — Electrometric method*

ISO 10414-1:2008, *Petroleum and natural gas industries — Field testing of drilling fluids — Part 1: Water-based fluids*

ISO 10414-2:—¹⁾, *Petroleum and natural gas industries — Field testing of drilling fluids — Part 2: Oil-based fluids*

1) To be published. (Revision of ISO 10414-2:2002)

This is a free preview. Purchase the entire publication at the link below:

I.S. EN ISO 10416 : 2009 : EN : COMBINED PDF

- ⤵ Looking for additional Standards? Visit SAI Global Infostore
- ⤵ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation

Need to speak with a Customer Service Representative - Contact Us