



NSAI
Standards

Irish Standard
I.S. EN 13183-2:2002

Moisture content of a piece of sawn timber - Part 2: Estimation by electrical resistance method

© NSAI 2002 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 13183-2:2002

Incorporating amendments/corrigenda/National Annexes issued since publication:
EN 13183-2:2002/AC:2003

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 13183-2:2002	<i>Published:</i> 21 June, 2002
This document was published under the authority of the NSAI and comes into effect on: 21 June, 2002		ICS number: 55.180.20
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		

ICS

English version
Version Française
Deutsche Fassung

Moisture content of a piece of sawn timber - Part 2: Estimation by electrical resistance method

Teneur en humidité d'une pièce de bois scié - Partie 2: Estimation par méthode électrique par résistance

Feuchtegehalt eines Stückes Schnittholz - Teil 2: Schätzung durch elektrisches Widerstands-Messverfahren

This corrigendum becomes effective on 17 September 2003 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 17 septembre 2003 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 17. September 2003 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 13183-2:2002/AC:2003 (E/F/D)

English version

In Clause 7, "Procedure", for

"at a point at least 300 mm from either end of the test piece, or at the mid point if the piece is less than 600 mm long"

substitute

"at a distance of 0,3 m from one end or the other of the piece (or at the mid point of pieces less than 0,6 m long)"

Change in Figure 1 from ≥ 300 to **300**.

Version française

A l'article 7, "Mode opératoire", substituer:

"à 300 mm de distance de l'une des extrémités de la pièce d'essai, ou à mi-longueur, si la longueur de la pièce est inférieure à 600 mm"

par

"à une distance de 0,3 m de l'une ou l'autre extrémité de la pièce (ou à mi-longueur des pièces de longueur inférieure à 0,6 m)",

A la figure 1 changer ≥ 300 par **300**

Deutsche Fassung

In Abschnitt 7, "Durchführung", ist

"eines mindestens 300 mm langen Abschnittes, der von einem der beiden Enden des Schnittholzes abgeschnitten oder aus der Mitte entnommen wurde falls das Schnittholz kürzer als 600 mm ist."

wie folgt zu ersetzen:

„in einem Abstand von 0,3 m von einem oder dem anderen Ende des Stücks (oder im Mittelpunkt bei Stücken die kürzer als 0,6 m sind)“

Änderung in Bild 1 von ≥ 300 in **300**

ICS 79.040

English version

Moisture content of a piece of sawn timber - Part 2: Estimation by electrical resistance method

Teneur en humidité d'une pièce de bois scié - Partie 2:
Estimation par méthode électrique par résistance

Feuchtegehalt eines Stückes Schnittholz - Teil 2:
Schätzung durch elektrisches Widerstands-Messverfahren

This European Standard was approved by CEN on 29 December 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
1 SCOPE	3
2 NORMATIVE REFERENCES	3
3 TERMS AND DEFINITIONS	4
4 LIMITS OF APPLICATION	4
5 APPARATUS	4
6 COMPLIANCE	4
7 PROCEDURE	4
8 EXPRESSION OF RESULTS	5
ANNEX A (INFORMATIVE) MOISTURE CONTENT OF A LOT	6

Foreword

This document EN 13183-2 has been prepared by CEN/TC 175 "Round and sawn timber", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2002, and conflicting national standards shall be withdrawn at the latest by October 2002.

This standard is one of a series, dealing with methods of measurement for round timber and sawn timber.

Other standards in this series are:

- | | | |
|------------|---|--|
| EN 13183-1 | : | Moisture content of a piece of sawn timber ~ Part 1: Determination by oven dry method. |
| EN 1309-1 | : | Round and sawn timber - Method of measurement of dimensions - Part 1: Sawn timber. |
| EN 1310 | : | Round and sawn timber - Method of measurement of features. |
| EN 1311 | : | Round and sawn timber - Method of measurement of biological degrade. |

Annex A is informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard defines a non-destructive method for estimating the moisture content of a piece of sawn timber using an electrical resistance moisture meter.

This standard applies to sawn timber, and timber which has been planed or mechanically surfaced by other means.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 844-1, *Round and sawn timber - Terminology - Part 1: General terms common to round timber and sawn timber.*

This is a free preview. Purchase the entire publication at the link below:

**I.S. EN 13183-2 : 2002 : INC : COR 1 : 2003 : EN :
COMBINED PDF**

- ⊙ Looking for additional Standards? Visit SAI Global Infostore
- ⊙ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation

Need to speak with a Customer Service Representative - Contact Us