



NSAI
Standards

Standard Recommendation
S.R. CEN/TR 1591-5:2012

Flanges and their joints - Design rules for gasketed circular flange connections - Part 5: Calculation method for full face gasketed joints

© NSAI 2012 No copying without NSAI permission except as permitted by copyright law.

S.R. CEN/TR 1591-5:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
CEN/TR 1591-5:2012

Published:
27 February, 2012

This document was published under the authority of the NSAI and comes into effect on:
27 February, 2012

ICS number:

23.040.60

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 23.040.60

English Version

Flanges and their joints - Design rules for gasketed circular flange connections - Part 5: Calculation method for full face gasketed joints

Brides et leurs assemblages - Règles de calcul des assemblages à brides circulaires avec joint - Partie 5: Méthode de calcul pour assemblages avec joints pleine face

Flansche und ihre Verbindungen - Regeln für die Auslegung von Flanschverbindungen mit runden Flanschen und Dichtung - Teil 5: Berechnungsmethode für Verbindungen mit vollflächiger Dichtung

This Technical Report was approved by CEN on 12 December 2011. It has been drawn up by the Technical Committee CEN/TC 74.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
1 Scope	3
2 Normative references	3
3 Symbols and abbreviated terms	3
4 Introduction	5
5 Definition of an equivalent gasket	6
6 Effective gasket geometry	13
7 Modification of tightness criteria equations	13
8 Application of the proposed method on several standard assemblies	15
9 Application of the proposed method on a non-standard assembly	18
10 Conclusion	22
Bibliography	23

Figures

Figure 1 — "FULL FACE" gasket areas division and definition of the equivalent gasket	6
Figure 2 — Compressed gasket width.....	7
Figure 3 — Variation of E_G versus initial gasket stress Q	7
Figure 4 — Flange rotation	8
Figure 5 — Case with no contact on the inside part of the gasket.....	8
Figure 6 — Case with contact on the inside part of the gasket	9
Figure 7 — Gasket force calculation on bolt hole part	9
Figure 8 — Equivalent gasket external diameter in plastic case.....	12
Figure 9 — Effective sealing and mechanical parts.....	14
Figure 10 — Elastic/plastic gasket behaviour combination	14
Figure 11 — Relative equivalent gasket dimensions	16
Figure 12 — Required bolt up load ratio (EN 1591-1 based proposed method/ TAYLOR-FORGE based method).....	17
Figure 13 — Load ratios for all the elements	17
Figure 14 — Initial required bolt load comparison	20
Figure 15 — Relative effective sealing width	21
Figure 16 — Gasket sealing width comparison.....	22

Foreword

This document (CEN/TR 1591-5:2012) has been prepared by Technical Committee CEN/TC 74 "Flanges and their joints", the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

EN 1591 "*Flanges and their joints — Design rules for gasketed circular flange connections*" consists of the following parts:

- *Part 1: Calculation method;*
- *Part 2: Gasket parameters;*
- *Part 3: Calculation method for metal to metal contact type flanged joint (CEN/TS);*
- *Part 4: Qualification of personnel competency in the assembly of bolted joints fitted to equipment subject to the Pressure Equipment Directive;*
- *Part 5: Calculation method for full face gasketed joints (CEN/TR).*

1 Scope

This Technical Report gives guidance for the calculation of full face gasketed joints on the basis of the calculation method given in EN 1591-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1591-1:2001+A1:2009, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 1: Calculation method*

3 Symbols and abbreviated terms

A_{Ge}	effective gasket area ($= \pi * d_{Ge} * b_{Ge}$), [mm ²], see Equation (26)
b_{Ge}	effective gasket width, (mm), see Figure 2
b_{Gi}	interim value of effective gasket width, [mm]
b_{Gseal}	effective sealing gasket width, [mm], Figure 9
b_{GQ}	compressed gasket width, [mm], Figure 2
d_{F1}	gasket force acting diameter for zone A, Equations (12), (14)

This is a free preview. Purchase the entire publication at the link below:

SR CEN/TR 1591-5 : 2012 : EN : COMBINED PDF

-
- ⏪ Looking for additional Standards? Visit SAI Global Infostore
 - ⏪ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us