



NSAI
Standards

Irish Standard
I.S. EN 50400:2006

Basic standard to demonstrate the compliance of fixed equipment for radio transmission (110 MHz - 40 GHz) intended for use in wireless telecommunication networks with the basic restrictions or the reference levels related to general public exposure to radio frequency electromagnetic fields, when put into service

© CENELEC 2006 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 50400:2006

Incorporating amendments/corrigenda issued since publication:

EN 50400:2006/AC:2011
EN 50400:2006/A1:2012

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> EN 50400:2006	<i>Published:</i> 29 June, 2006
This document was published under the authority of the NSAI and comes into effect on: 3 August, 2006		ICS number: 17.220.20 33.070.01
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeáin Náisiúnta na hÉireann		



Corrigendum to EN 50400:2006

English version

Following decision of BT 139, item 2.6.1, replace in the Swiss A-deviation for EN 50400:2006 "This product standard must not be applied" with "This basic standard must not be applied".

October 2011

This page is intentionally left BLANK.

Basic standard to demonstrate the compliance of fixed equipment for radio transmission (110 MHz - 40 GHz) intended for use in wireless telecommunication networks with the basic restrictions or the reference levels related to general public exposure to radio frequency electromagnetic fields, when put into service

Norme de base pour démontrer la conformité des équipements fixes de transmission radio (110 MHz - 40 GHz) destinés à une utilisation dans les réseaux de communication sans fil, aux restrictions de base ou aux niveaux de référence relatives à l'exposition des personnes aux champs électromagnétiques de fréquence radio, lors de leur mise en service

Grundnorm zum Nachweis der Übereinstimmung von stationären Einrichtungen für Funkübertragungen (110 MHz bis 40 GHz), die zur Verwendung in schnurlosen Telekommunikationsnetzen vorgesehen sind, bei ihrer Inbetriebnahme mit den Basisgrenzwerten oder den Referenzwerten bezüglich der Exposition der Allgemeinbevölkerung gegenüber hochfrequenten elektromagnetischen Feldern

This amendment A1 modifies the European Standard EN 50400:2006; it was approved by CENELEC on 2012-08-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

This document (EN 50400:2006/A1:2012) has been prepared by CLC/TC 106X, "Electromagnetic fields in the human environment".

The following dates are fixed:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-08-29
- latest date by which the national standards conflicting with the amendment have to be withdrawn (dow) 2015-08-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

EUROPEAN STANDARD

EN 50400

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2006

ICS 17.220.20; 33.070.01

English version

**Basic standard to demonstrate the compliance of fixed equipment
for radio transmission (110 MHz - 40 GHz)
intended for use in wireless telecommunication networks
with the basic restrictions or the reference levels
related to general public exposure to radio frequency
electromagnetic fields, when put into service**

Norme de base pour démontrer la conformité des équipements fixes de transmission radio (110 MHz - 40 GHz), destinés à une utilisation dans les réseaux de communication sans fil, aux restrictions de base ou aux niveaux de référence relatives à l'exposition des personnes aux champs électromagnétiques de fréquence radio, lors de leur mise en service

Grundnorm zum Nachweis der Übereinstimmung von stationären Einrichtungen für Funkübertragungen (110 MHz bis 40 GHz), die zur Verwendung in schnurlosen Telekommunikationsnetzen vorgesehen sind, bei ihrer Inbetriebnahme mit den Basisgrenzwerten oder den Referenzwerten bezüglich der Exposition der Allgemeinbevölkerung gegenüber hochfrequenten elektromagnetischen Feldern

This European Standard was approved by CENELEC on 2005-12-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by Technical Committee CENELEC TC 106X, Electromagnetic fields in the human environment.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50400 on 2005-12-06.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2007-01-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2009-01-01

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Contents

1	Scope.....	6
2	Normative references	6
3	Physical quantities, units and constants	6
3.1	Quantities.....	6
3.2	Constants.....	7
4	Terms and definitions	7
5	General process	12
5.1	Alternative routes to determine the total exposure ratio where the general public has access	12
5.2	General method.....	12
5.2.1	Description of the general method	12
5.2.2	Comprehensive total exposure ratio assessment	14
5.3	Pre-analysis method.....	15
6	Determination of domains and relevant sources	16
6.1	Principle of relevance	16
6.2	Determination of domains.....	16
6.2.1	Relevant domain.....	16
6.2.2	Scatter domain	16
6.2.3	Domain of investigation	17
6.3	Determination of relevant sources	17
7	Calculation specifications	18
7.1	General.....	18
7.2	Calculation methods.....	19
7.2.1	Definition of equivalent free space conditions	19
7.2.2	Calculation methods in equivalent free space conditions	19
7.2.3	Calculation methods when equivalent free space conditions do not apply ..	19
7.3	Summation of exposure ratio estimated using calculation.....	22
8	Measurement specifications	22
8.1	General requirement	22
8.2	Exposure ratio measurement.....	23
8.2.1	Basic requirements.....	23
8.2.2	Conditions for the use of broadband measurements	23
8.2.3	Conditions for the use of frequency selective measurement.....	24
8.3	Summation of exposure ratios estimated using measurement.....	24
8.4	Uncertainty.....	24
9	TER assessment	25
10	Exposure assessment report	26
	Annex A (informative) Examples of pre-analysis design guidelines	27
A.1	Purpose	27
A.2	Installations designed inclusive of a specified exposure ratio allowance for other radio sources	27
A.3	Combined compliance boundaries	28
A.4	Installation designed so that a minimum build height is maintained at all distances from the antenna less than the compliance boundary distance.....	33
A.5	Equipment Under Test with less than 10 W average EIRP	34

Annex B (informative) Simplified procedure to determine scatter domain and relevant domain boundaries 36

 B.1 Introduction 36

 B.2 Analysis 36

Annex C (informative) Calculations under non-equivalent free space conditions 38

 C.1 Introduction 38

 C.2 Determination if an object is a significant reflector 39

 C.3 Determination of power density multiplication factor in several domains 39

 C.3.1 No line of sight from the radio source to the point of investigation 39

 C.3.2 Reflecting surface to the side of the direct path from radio source to point of investigation 40

 C.3.3 Reflecting surface below the direct path from source to point of investigation 40

 C.3.4 Point of investigation between the radio source and reflecting surface 41

 C.3.5 Radio source between reflecting surface and the point of investigation 42

 C.3.6 Power density multiplication factor for use in summing multiple bands 42

 C.4 Establishing total exposure ratio from a set of transmissions on different frequencies 42

Annex D (informative) Selection of points of investigation for distant radio sources 44

 D.1 Objective 44

 D.2 Principles 44

 D.3 Establish δr with respect to distance to radio source 44

 D.3.1 Consider change of field strength with distance 44

 D.3.2 Consider variation of field strength due to antenna directivity 45

 D.3.3 Example 1 45

 D.3.4 Example 2 46

 D.4 Selecting points of investigation 46

Annex E (informative) A-deviations 47

Figures

Figure 1 – Alternative routes to determine the total exposure ratio where the general public has access 12

Figure 2 – Overview of the general method to estimate the total exposure ratio 13

Figure 3 – Borders of a restricted area located in the domain of investigation 14

Figure 4 – Location of the three assessments for each point of investigation 15

Figure 5 – Representation of the relevant domain, domain of investigation, scatter domain and the compliance boundary surrounding the antenna 17

Figure 6 – Calculation methodology 18

Figure 7 – Configurations used to identify positions of reflectors 20

Figure 8 – Establishing the PDMF 21

Figure A.1 – Compliance boundary extension due to proximity of other RF sources 29

Figure A.2 – Compliance boundaries merging due to proximity of other RF sources 29

Figure A.3 – Combined compliance boundaries around antennas on a head frame. 30

Figure A.4 – Significant parameters relating to antenna positioning and orientation 33

Figure B.1 – Relative field and exposure ratio relationships near an emitting antenna 36

Figure C.1 – Relative magnitude of reflected ray for polarisation normal and parallel to reflecting surface 39

This is a free 12 page sample. Access the full version online.

Figure D.1 - Change of field strength with distance	44
Figure D.2 - Variation of field strength due to antenna directivity	45

Tables

Table 1 – Maximum sampling step versus frequency.....	14
Table 2 – Uncertainty assessment	25
Table A.1 – Table of figures showing minimum distances separation multipliers	32
Table A.2 – Values for the compliance boundary factor and exposure ratios	35

1 Scope

This basic standard applies to Base Stations as defined in Clause 4, operating in the frequency range 110 MHz to 40 GHz.

The objective of this basic standard is to specify, for such equipment and when it is put into service in its operational environment, the methods to assess the value of the Total Exposure Ratio or to establish whether the Total Exposure Ratio is less than or equal to one in relevant areas where the general public has access.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Council Recommendation 1999/519/EC of 12 July 1999 on the limitation of exposure of the general public to electromagnetic fields (0 Hz to 300 GHz)
(Official Journal L 199 of 30 July 1999)

EN 50383, Basic standard for the calculation and measurement of electromagnetic field strength and SAR related to human exposure from radio base stations and fixed terminal stations for wireless telecommunication systems (110 MHz - 40 GHz)

EN ISO/IEC 17025:2000, General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025:1999)

ISO "Guide to the expression of uncertainty in measurement": Ed.1 1995

International Commission on Non-Ionizing Radiation Protection (1998), Guidelines for limiting exposure in time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz)
Health physics 74, 494-522

3 Physical quantities, units and constants

3.1 Quantities

The internationally accepted SI-units are used throughout the standard.

<u>Quantity</u>	<u>Symbol</u>	<u>Unit</u>	<u>Dimensions</u>
Electric field strength	E	volt per meter	V/m
Electric flux density	D	coulomb per square meter	C/m ²
Frequency	f	hertz	Hz
Magnetic field strength	H	ampere per meter	A/m
Magnetic flux density	B	tesla (Vs /m ²)	T
Mass density	ρ	kilogram per cubic meter	kg/m ³
Permeability	μ	Henry per meter	H/m
Permittivity	ϵ	farad per meter	F/m
Specific absorption rate	SAR	watt per kilogram	W/kg
Wavelength	λ	meter	m

This is a free preview. Purchase the entire publication at the link below:

I.S. EN 50400:2006 - PDF

-
- ⏪ Looking for additional Standards? Visit SAI Global Infostore
 - ⏪ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us